



DuPont Tedlar Wallcoverings





Table of Contents


Embossments Side by Side1
Chromatic I Colors
Vertical Silk Emboss5
Horizontal Silk Emboss
Twill Emboss
Mid-Weave Emboss
Small Weave Emboss2
Non-Woven Emboss
Custom Wallcovering29
Specifications30
Keeping It Clean and Hygienic3
Cleanability Chart
Wallcoverings Conversions




EMBOSSMENTS

TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)

TO SEE MORE DETAILS, PLEASE REFER TO PAGE 30.





Horizontal Silk Emboss 02













CHROMATIC I COLORS

The Chromatic I Series is a Made to Order Collection with a 4 week lead time and a minimum quantity of 100 linear yards.





Chromatic I Colors · 4





VERTICAL SILK EMBOSS

TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)
TO SEE MORE DETAILS, PLEASE REFER TO PAGE 30.






CHROMATIC I COLORS with Vertical Silk Emboss

The Chromatic I Series is a *Made to Order* Collection with a 4 week lead time and a minimum quantity of 100 linear yards.











Bordeaux 42







HORIZONTAL SILK EMBOSS

TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)

TO SEE MORE DETAILS, PLEASE REFER TO PAGE 30.







CHROMATIC I COLORS with Horizontal Silk Emboss

The Chromatic I Series is a *Made to Order* Collection with a 4 week lead time and a minimum quantity of 100 linear yards.





Balance Green 64

Light Sage 65

Wasabi 66

Fresh Artichoke 67

Secret Meadow 68

Trailing Vine 69

Pine Forest 70


Chromatic I Colors with Horizontal Silk Emboss · 12





TWILL EMBOSS

TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)
TO SEE MORE DETAILS, PLEASE REFER TO PAGE 30.





CHROMATIC I COLORS with Twill Emboss

The Chromatic I Series is a *Made to Order* Collection with a 4 week lead time and a minimum quantity of 100 linear yards.





Chromatic I Colors with Twill Emboss · 16



MID-WEAVE EMBOSS

TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)

TO SEE MORE DETAILS, PLEASE REFER TO PAGE 30.







CHROMATIC I COLORS with Mid-Weave Emboss

The Chromatic I Series is a *Made to Order* Collection with a 4 week lead time and a minimum quantity of 100 linear yards.












TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)
TO SEE MORE DETAILS, PLEASE REFER TO PAGE 30.



SMALL WEAVE EMBOSS



CHROMATIC I COLORS with Small Weave Emboss


The Chromatic I Series is a *Made to Order* Collection with a 4 week lead time and a minimum quantity of 100 linear yards.







Roasted Squash 35



Red Pepper 41

Bordeaux 42




Gooseberry 49

Proposal 43

Flowerpot 44

Bubble Shell 45



Mainsail 50



Chromatic I Colors with Small Weave Emboss · 24



NON-WOVEN EMBOSS

TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)

TO SEE MORE DETAILS, PLEASE REFER TO PAGE 30.







CHROMATIC I COLORS with Non-Woven Emboss

The Chromatic I Series is a *Made to Order* Collection with a 4 week lead time and a minimum quantity of 100 linear yards.









Roasted Squash 35

Milk Paint 29



Blackberry Jam 48

Gooseberry 49

Irish Cream 36

Rumba Orange 37

Rusty Gate 38





Very Navy 56



Chromatic I Colors with Non-Woven Emboss · 28 27



Custom Design MAKING YOUR DESIGNS A REALITY

With Endure Walls[™] Tedlar[™] Wallcovering's custom design option, you can bring your ideas to life while maintaining budget and getting the durability you demand. The options are endless — any design or color. Show us your creativity!

THE STEPS ARE SIMPLE

- **GET INSPIRED** Supply photos, patterns, anything that we need to create a unique pattern
- **WHEN MAKING A SUBMISSION** Share your ideas and project details with us, and that will allow us to provide you with the design of your dreams
- **QUANTITY AND TIMELINE** Provide us with an estimated quantity and timeline when wallcovering is needed (Minimum custom quantity is 100 linear yards)
- **CREATION** With your inspiration and needs in mind, a professional will begin the process of transferring them into a finished wallcovering reality
- **SAMPLE** You will be supplied with a prototype sample to review the design and color
- MANUFACTURING Custom Tedlar[™] Wallcovering will be manufactured once the final sample is approved and the Purchase Order is placed (Timeline of sampling and manufacturing varies with each custom design and quantity)

WE HAVE YOU COVERED

For over 30 years, we have maintained a partnership with DuPont[™] that continues to grow today. As a result, all of Endure Walls[™] DuPont[™] Tedlar[™] Wallcoverings are manufactured and stocked in the United States and ready to ship immediately anywhere in the North America, Latin America, and European markets.

At Endure Walls, our National Commercial Account Executives are available to assist you with all of your design needs, customer service, accounting, warehouse, and logistical demands that will guarantee top-level service for all of your requests and projects.

No multiple distribution. Endure Walls, being the single-source supplier, leaves you with the confidence that wherever your project is located, you will receive the same pricing, quality, and service you demand!

DESIGN AND DURABILITY

Endure Walls™ Tedlar™ Wallcoverings will give you the design you need with the durability you want to maximize your projects and business.

- DuPont[™] Tedlar[®] offers stocked exclusive wallcovering series with new launches each quarter
- USA-manufactured product
- Easy 1,2,3 Custom Design and Color Program
- Type I and Type II Tedlar™ Wallcovering that exceeds Type III durability
 - $\bullet \ \, \text{Stain proof}$
- · Mold, mildew, bacteria,
- · Abrasion resistant
- MRSA, E. coli resistant
- · Chemical resistant
- UV resistant
- · Exceeds ASTM E84 Class A Fire Rating

SUSTAINABILITY

- · Greenguard Gold IAQ (Indoor Air Quality)
- · Greenguard Mold Validated (Does Not Support Mold Growth)
- · HPD (Health Product Declaration)
- Produced using water-based, nontoxic ink, and adhesives combined with low VOC emitting films. No heavy metals or ozone-depleting chemicals are used in the manufacturing process.

DuPont Tedlar Wallcoverings

SPECIFICATIONS

Type II Product Specifications

Type Tedlar™ Wallcovering - Type II

Weight 20 oz./lin. yd. 620.1 g./lin. m.

Width 52" - 54" | 132.08 cm. - 137.16 cm.

Length 30 lin. yd. 27.432 lin. m.

Finish Tedlar® Film Backing Nonwoven

Flame Resistance Passes ASTM E84 Class A

Stain Resistance Exceeds Stain Resistance Test CCC-W-408D

Abrasion Resistance Meets Type III Abrasion Resistance CCC-W-408D

Scrubbability Meets Type III Scrubbability CCC-W-408D

Microbial Resistant Passes ASTM G21 and JIS Z 2801

Type I Product Specifications

Type Tedlar™ Wallcovering - Type I

Weight 15 oz./lin. yd. 465.1 g./lin. m.

Width 52" - 54" | 132.08 cm. - 137.16 cm.

Length 30 lin. yd. | 27.432 lin. m.

Finish Tedlar® Film Backing Osnaburg

Flame Resistance Passes ASTM E84 Class A

Stain Resistance Exceeds Stain Resistance Test CCC-W-408D

Abrasion Resistance Meets Type III Abrasion Resistance CCC-W-408D

Scrubbability Meets Type III Scrubbability CCC-W-408D

Microbial Resistant Passes ASTM G21 and JIS Z 2801



Reeping it clean and hygienic. WHAT YOU NEED TO KNOW.

Whether it's germs, permanent marker, or chocolate sauce, maintaining pristine walls can be a challenge for some, but not for Endure Walls™ Tedlar™ Wallcoverings. For more than 50 years, DuPont™ Tedlar® PVF technology has been a leader in the industry for protective surfaces and is now applying this proven technology to wallcoverings. With Endure Walls™ Tedlar™ Wallcovering, we have the classic designs you love as well as the cleanability, durability, and affordability you need to maximize your projects and business.





TYPE I AND TYPE II TEDLAR™ WALLCOVERINGS THAT EXCEED TYPE III DURABILITY

- Bacteria, Mold, and Mildew Resistant. Tedlar[™] Wallcoverings are not degraded by bacteria, mold, or mildew and do
 not provide nutrients to assist growth. It's so good it's Greenguard Mold validated.
- Chemical Resistant. Because Tedlar Wallcoverings hold up to bleach, alcohol, and alkalis cleaners, you can disinfect easily. Proven to withstand 30 years in a high-traffic area of a hospital and still look like new.
- **Hygienic.** Tedlar[™] Wallcoverings' ability to stand up to the harshest cleaning chemicals means you have easy-to-clean walls that will assist in maintaining a hygienic environment for years to come.
- Stain Proof. The chart on the back indicates various stains that are likely to be encountered in high-traffic areas and lists the most effective cleaning agents for easy removal. Repeated heavy cleaning does not affect Tedlar™ Wallcoverings.
- Indoor Air Quality. Tedlar™ Wallcoverings are Greenguard Gold IAQ certified. It meets strict chemical emissions limits
 and has been tested for more than 10,000 chemicals making it perfect for all your projects, including schools and
 healthcare facilities with sensitive individuals.



Made in the USA.







CAN YOU CLEAN IT? YES YOU CAN. SEE WHAT IT TAKES.



GENERAL TEDLAR® CLEANABILITY & STAIN REMOVAL INFORMATION

Stain Removal Tests for Vinyl Wall Covering Clad with Tedlar® SP PVF Film

STAIN AGENT*	CLEANING CATEGORY			
	Dry Cloth	Wet Cloth	Detergent	Solvent
FOOD				
Chocolate syrup		R		
Coffee		R		
Grape juice		R		
Ketchup			R	
Mustard sauce		R		
Red wine		R		
Tea stains		R		
Worcestershire sauce		R		
MARKING				
Ballpoint pen				R
Black crayons			R	
Brown shoe polish			R	
Lipstick			R	
Spray paint				R
White board marker			R	
CHEMICAL				
Acid solutions**	R			
Acetone	R			
Asphalt			R	
Brake fluid		R		
Butanone	R			
Ethyl alcohol	R			
Gasoline	R			
Glycol	R			
lodine		R		
Mercurochrome			R	
Sodium hydroxide		R		
Toluene	R			
Oily pen (such as ballpoint pen)			R	

R = Required cleaning method

^{*}Staining agents were allowed to set 24 hours prior to cleaning.

^{**}Acid Solutions include: acetic acid, 10% citric acid, 10% nitric acid, 20% hydrochloric acid, and 30% sulfuric acid.

Mallcovering Conversions

COMMERCIAL GOODS (52"/54")

Linear yard = $13.5 \text{ sf } (4.5' \times 3')$

Square yard = $9 \text{ sf } (3' \times 3')$

Roll = 30 linear yards

Coverage per 30 yard roll = 405 sf

CONVERSIONS (52"/54")

Figuring Square Footage:

· Length of wall multiplied by height of wall

Convert Square Feet to Linear Yards:

- Divide total square footage by 13.5 = Number of yards
- Divide by 12 to include waste or 9 for patterns with large repeats

Convert Square Yards to Linear Yards:

- Multiply square yard quantity by 9, then divide the result by 13.5
- Divide by 12 to include waste or 9 for patterns with large repeats

Convert to Square Yards:

• Divide number of linear yards by 13.5, then multiply result by 9

Convert Linear Feet to Linear Yards:


• Divide number of linear feet by 3 = Number of linear yards

Convert Square Meters to Square Yards:

• 1 square meter = 1.19599 square yards

Price per Square Foot Conversions:

Divide the price per linear yard by 13.5 = Price per SF
 (Use to compare costs to paint or tile that is priced by the square foot.)



HOW TO CALCULATE THE DIMENSIONS OF YOUR WALLS

Calculation for Square Feet to Linear Yards (52"/54" Wide)

- 1. Multiply width by height of wall = Total square feet (per wall)
- 2. Repeat Step 1 per wall needing wallcovering
- 3. Add together total square feet of ALL wall measurements = Total square feet of project
- 4. Total square feet of project and divide by factor:

13.5 = NO waste/overage

12 = Waste/overage added

9 = Large repeat (18" or larger)

5. Calculation in Step 4 = Total linear yards for project

Dividing Factors for Wallcovering (52"/54" Wide)

- 1. 13.5 = Total of wallcovering (No overage or waste)
- 2. 12 = Total of wallcovering (Includes waste)
- 3. 9 = Total of wallcovering with large repeat (18" or more)

Calculation for Square Meter to Linear Yards (52"/54" Wide)

- 1. Square meter multiplied by 1.19599 = Total square yards
- 2. Total square yards multiplied by 9, then divide by factor 12 = Total linear yards (Dividing by factor 12 includes waste)